

DRIVING SURFACE PERFECTION[™]



U-POL Limited 4th Floor, The Grange, 100 High Street, London N14 6BN Tel: +44 (0)20 8492 5920 Fax: +44 (0)208 8181 6911 Email: uk.sales@u-pol.com

www.u-pol.com

U-POL is a registered trademark of U-POL Ltd ©2019. PROM0006/V2 (October 2019)

AUTOMOTIVE REPAIR CATALOGUE



DRIVING SURFACE PERFECTION

U-POL IS A WORLD LEADER IN AUTOMOTIVE REFINISHING PRODUCTS SPECIALISING IN FILLERS, COATINGS, AEROSOLS, ADHESIVES & PAINT RELATED PRODUCTS.

Recognised globally with sales in over 100 countries, **U-POL** is committed to consistently providing customers with high quality products that professional technicians demand. Our heritage and experience of over 70 years in the industry, coupled with our continued investment in state-of-the-art manufacturing facilities and reputation for innovation, ensures that your U-POL experience is nothing less than world class.



DID YOU KNOW?

- **U-POL** Head Office is located in London with over 4 acres of manufacturing facilities in Wellingborough.
- U-POL products are all produced with high quality European resins.
- U-POL has 13 offices and 5 distribution centres worldwide.





U-POL PRODUCTS GIVE UNRIVALLED RESULTS FOR ALL STAGES OF THE REPAIR PROCESS

USEFUL TO KNOW

Quick access to our Safety Data Sheets and Technical Data Sheets is available by visiting our website. www.u-pol.com

Also check out our YouTube channel that has plenty of 'how to' process videos and technical tips. www.youtube.com/U-POLDSP



DRIVING SURFACE PERFECTION

U-POL has a comprehensive range of fillers and coatings and we are uniquely positioned to deliver solutions developed, tested and approved for the modern bodyshop. We know your reputation matters and that's why **U-POL** is investing in future innovation - to help your team get it right first time, every time.

FILLERS

PAGE 8 - 11

U-POL offers a comprehensive range of body fillers to streamline repairs that are simple to use and easy to sand. To satisfy bodyshop demand for quality and performance, our range utilises the latest advancements in resin technology to give the perfect finish first time, every time.



SPECIALITY FILLERS

PAGE 12 -13

U-POL speciality fillers are formulated for specific applications where an all purpose filler just won't do. Each product has been put through extensive testing to ensure you have the right product for the right job.



AEROSOLS

PAGE 15 - 20

Our premium aerosols are a comprehensive range ideal for spot/panel and SMART applications. Special clog-free nozzles give a spray gun-like finish to every job. The **Power Can**[™] refinish range has been formulated to re-create professional results with the convenience of an aerosol. **U-POL Custom Can**[™] Colour Centre offers instant, accurate filling of aerosol spray colours.



COATINGS

U-POL coatings offer superior performance in a range of formulations to suit a variety of bodyshop conditions and specialised applications. The Coatings category includes the comprehensive **System 20** range and high performance specialist coatings.



THINNERS & PAINT ANCILLARIES

U-POL offers a full range of thinners and paint ancillaries designed to prepare automotive surfaces and facilitate a smooth coating application.



RAPTOR° COATINGS

RAPTOR is a tough and tintable protective coating that provides surfaces with a protective barrier to withstand the toughest situations.



ADHESIVES, SEALANTS & PLASTIC REPAIR

U-POL adhesives and sealants range has been designed to provide durable, high strength bonding and sealing solutions for various automotive applications.



COMPOUNDS, POLISHES & REFINISH ABRASIVES

U-POL high performance refinish abrasives, compounds and polishes deliver fast results eliminating surface defects to deliver a high gloss finish.

SPRAY GUNS & BODYSHOP CONSUMABLES

U-POL offers an extensive range of refinishing abrasives and consumables - a must for every bodyshop.

PAGE 21 - 25



PAGE 30 - 31

PAGE 32 - 34

PAGE 35

PAGE 37 - 38



RAPTOR Tough and Tintable Protective Coating is a durable polyurethane coating that provides surfaces with a protective barrier that can withstand the toughest situations.

Developed to tolerate most climatic conditions, **RAPTOR** is UV resistant and won't fade or "chalk" even after hours in the sun. **RAPTOR** is also waterproof and protects surfaces from rust making it perfect for surfaces that will be submerged in water, including salt water.

When you need a surface protection solution that can stand up to the elements, choose RAPTOR...

IDEAL FOR A WHOLE RANGE OF APPLICATIONS...



MARINE

...AND CAN BE USED ON VARIOUS SURFACES



upol

DRIVING SURFACE PERFECTION

ultra-smooth, ultra-fine, dolphin filler range FOCUS ON PERFECTION



When it has to be perfect, it has to be the next generation of U-POL Dolphin fillers.
Built on unrivalled foundations, these high strength, ultra-fine fillers ensure the perfect feather edge, high adhesion across all automotive metal substrates and a super smooth, easy to sand finish time after perfect time.
Visit u-pol.com for more information, to download a brochure or to view the new Dolphin process video.

TOUGH AND **TINTABLE** PROTECTIVE COATING

RAPTOR's versatility makes it perfect for almost any application. Spray **RAPTOR** on high traffic areas; it is stain resistant and easy to clean. Its flexible formulation can handle impacts without cracking, making it perfect for its most popular application as a truck bed liner.

RAPTOR protects the roughest industrial surfaces as well as the smaller surfaces we rely on every day. Unlike other bed liners or protective coatings **RAPTOR** can easily be repaired. It's durable, looks great and it lasts a long time.



U-POL BODY FILLERS

A comprehensive range of fillers to satisfy bodyshop demand for quality and performance. Our range utilises the latest advancements in resin technology to give perfect results every time.

EASY FILLER RANGE



paint surfaces, aluminium, galvanised, SMC,

fibreglass, lightly abraded E-Coat

EASY[™] 1 **Lightweight Body Filler For Deep Repairs**


An easy to use, smooth textured polyester filler for deep repairs. The non-sag formula is ideal for use on vertical or horizontal repairs and its lightweight formula bonds to multiple substrates including galvanised steel, metal and GRP.

- Smooth textured, tack free finish
- Easy spreading and guick to shape
- Non-sagging when used on vertical surfaces

CO	DE	SIZE	COLOUR	CTN
EA	SY/7	3L Tin	Grey	3

COLOUR

Light Grey





Substrates: Direct to metal, prepared OEM paint surfaces, SMC, fibreglass,







An easy to use ultra smooth finishing paste for skimming and fine finishing in thin layers prior to the paint process.

Lightweight Body Filler For Medium Depth Repairs

is very easy to sand and shape even after extended cure time.

SIZE

3L Tin

A smooth filler for small area medium depth repairs. Its lightweight formula

- High adhesion to multiple substrates
- Ease of application

EASY[™]2

· Easy to sand and shape Tack free finish

• Good filling properties

CODE

EASY2/3



8

Substrates: Direct to metal, prepared OFM paint surfaces, aluminium, galvanised, SMC, fibreglass, lightly abraded E-Coat

• Easy to sand CODE SIZE COLOUR EASY3/1 1.1L Tin Gold



SMOOTH 7[™] **Smooth Body Filler for Deep Repairs** Smooth 7 is ideal for repairing large, deep or uneven areas. The formula is specially developed to give excellent filling properties whilst maintaining smooth 2% spreading capabilities and good adhesion. • Easy spreading · High adhesion on multiple substrates • Ideal for large or uneven areas 15/15/ SIZE COLOUR CODE CTN SM/7 3L Tin Light Grey 2



Substrates: Direct to metal, prepared OEM paint surfaces, aluminium, galvanised, SMC, fibreglass, lightly abraded E-Coat

FANTASTIC FILLER RANGE



An ultra lightweight multi-functional filler ideal for medium and fine panel damage in most substrates. Formulated using the latest lightweight technology, it combines excellent filling properties with ease of sanding.

- · Soft and smooth formula
- Superb sanding for reduced process time • Easy to shape and no shrinkage



UDO

Fantasti BODY FILLER



Substrates: Direct to metal, prepared OEM paint surfaces, aluminium, galvanised, SMC, fibreglass, lightly abraded E-Coat

CODE FANT/BL FANT/3 DIS/FANT





(1) (1)

P80-P240



15/15

<u>दि</u>

CTN

CTN





Ultra Lightweight Body Filler For Medium Depth Repairs



P80)-P240

SIZE	COLOUR	CTN
1L Bag	Cream	6
3L Tin	Cream	4
1.28L Dispenser	Cream	6



Substrates: Direct to metal, prepared OEM paint surfaces, aluminium, galvanised, SMC, fibreglass, lightly abraded E-Coat

DOLPHIN® Body Filler for Deep Repairs

A premium, technically advanced filler for deep repairs or repairs to vertical surfaces. Its smooth, creamy formulation has superior filling properties and gives an ultra fine finish with effortless sanding.

- Easy to sand and shape • Excellent adhesion
- Non-sagging
- CODE SIZE DOLBF/D 3L Tin


2% 20 mins P80-P240 CTN

2%

20 mins

4

RAPID SYSTEM[™]



Substrates: Direct to metal, OEM paint surfaces,

aluminium, galvanised, SMC, fibreglass, lightly

RAPID SYSTEM[™] Body Filler for Medium Depth Repairs

The Rapid System Body Filler with innovative ultra-fast cure technology is our fastest drying filler. Easy to apply and helps to reduce cycle times whilst increasing bodyshop throughput.

- Cures in 10 minutes
- Suitable for medium repairs
- Superior adhesion to multiple substrates

CODE	SIZE	COLOUR	CTN	
RS6101	1.1L Tin	Grey	6	
RS6103	3L Tin	Grey	4	





Substrates: Direct to metal, prepared OEM paint surfaces, aluminium, galvanised, SMC, fibreglass, lightly abraded E-Coat



Substrates: Direct to metal, prepared OEM paint surfaces aluminium galvanised SMC fibreglass, lightly abraded E-Coat





10

Substrates: Direct to metal, prepared OFM paint surfaces, aluminium, galvanised, SMC, fibreglass, lightly abraded E-Coat, most plastics

DOLPHIN® Body Filler for Medium Depth Repairs

A premium, technically advanced filler for medium to deep panel damage. Its smooth, creamy formulation has superior filling properties and gives an ultra fine finish with effortless sanding.

- Excellent adhesion
- Superb filling and build quality
- Easy to sand and shape

			l	P80-P240
CODE	SIZE	COLOUR	CTN	
DOLBF/M	3L Tin	Blue	4	

COLOUR

Blue

DOLPHIN® GLAZE Fine Finishing Filler

A fine finishing glaze designed to eliminate pinholes and surface imperfections prior to painting. Its self-levelling formulation gives a smooth, ultra fine finish which requires minimal sanding.

- Excellent adhesion
- Easy to sand
- Self-levelling

20 mins
P180-P240

CODE	SIZE	COLOUR	CTN	
BAGDOL/1	440ml Bag	Turquoise	10	

DOLPHIN® 1K STOPPER Ultra Smooth Acrylic Putty

Dolphin 1K Stopper is convenient and ready to use - no hardener required. Perfect for surface imperfections and pinholes, especially last minute situations.

- Quick drying with excellent adhesion
- Use straight from the tube No hardener required





CODE	SIZE	COLOUR	CTN	
DOLST/TU	200g Tube	Olive Green	6	



abraded E-Coat

DIREC

Fine Finishing Glaze

- Self-levelling
- Cures in 6-8 minutes
- Ultra fine, easy to sand



Substrates: Direct to metal, prepared OFM paint surfaces, aluminium, galvanised, SMC, fibreglass, lightly abraded E-Coat

CODE RS6208













RAPID SYSTEM[™] GLAZE

An advanced lightweight formula for correcting minor imperfections such as pinholes, scratches and stone chips. This ultra fast drying formulation is exceptionally smooth and fine.



P180-P24	0

SIZE	COLOUR	CTN
880ml Bag	Blue	6



SPECIALITY FILLERS

U-POL speciality fillers are formulated for specific applications where an all purpose filler just won't do. Each product has been put through extensive testing to ensure you have the right product for the right job.

FIBRAL® Fiberglass Filler

Two component sandable fibreglass filler which takes the place of short and long strand products. Ideal for bridging holes while providing a tough, resistant GRP coating.

Watertight seal

CODE

FIB/2

FIB/BL

- Can be sanded and shaped once cured
- Easy to cover with standard polyester filler and can be overpainted directly

COLOUR

Yellow

Yellow

Yellow

COLOUR

White


Black

SIZE

900ml Tin

1.28L Dispenser

1L Bag



CTN


8

6

CTN

8





U-POL B[™]

PLAST X[™]FILLER Highly Flexible Body Filler For Plastics

A high adhesion and flexible polyester filler specifically designed for scuffs and scratches on plastic parts that require ultimate flexibility e.g. bumpers.

- Excellent feather edge properties

CODE PLAS/6

REFACE^{**} **Sprayable Filler**

Highly effective two component sprayable polyester filler specially developed to spray large areas of repair. Ideal base for most paint systems.

- High film build
- Easy to sand
- Liquid hardener included

CODE	
HAR/SF	
UPOL/SF1	
UPOL/SF2	





SPECIALITY FILLERS

GRP, fully cured paint surfaces



DIS/FIB

Vool
 SIMC
High Adhesion Filler
-Carbon Filters Residenced -Delt to Sect

SMC[™] **Carbon Fibre Reinforced Filler**

High adhesion bonding paste and filling compound specifically designed to repair cracks, holes and scratches in SMC, fibreglass, composite and other rigid materials.

- Reinforced with carbon fibre for structural strength
- Easy to sand to a fine finish
- High adhesion to multiple substrates







CODE

SMCW/2

SMCB/2

Aluminium Reinforced Body Filler

A versatile polyester filler reinforced with aluminium flakes for high adhesion across multiple substrates. Ideal for metallic alloy wheels, aluminium panels or restorations for a metallic finish.

SIZE

1.1L Tin

1.1L Tin

- High density filler
- Soft and smooth application
- Excellent filling properties



20 mins	
Les les	
P80-P240	





Substrates: Bare Metal, fibreglass, polvester putties and body fillers.

fully painted surfaces






Substrates: SMC, fibreglass, steel, aluminium, GRP. OFM paint, wood

CODE	SIZE	COLOUR	CTN
UPOLD/2	1.1L Tin	Silver Grey	8
DIS/D	1.3L Dispenser	Silver Grey	6

1	2
H	Ľ











Ρ,	Dare	metal,	alumin	um,	ć

Fibreglass Bridging Compound

A strong polyester glass fibre filler that can be easily shaped and sanded once cured. Suitable for bridging holes and rust in steel and GRP surfaces.

• Excellent gap filling properties • Water resistant when fully cured · Easy to cover with standard polyester filler





SIZE	COLOUR	CTN	
1L Tin	Yellow	8	
1.85L Tin	Yellow	4	

- · High adhesion and flexibility on most plastic components
- Can be used with a mesh for holes and tab repairs



SIZE	COLOUR	CTN
600ml Tin	Black	6





30 mins @ 60°0 2-3 hrs @ 20°0



SIZE	COLOUR	CTN
50ml Bottle	Clear	6
1L Tin	White	6
2.5L Tin	White	4

BODY FILLER PRODUCTS



BPO HARDENER

For Polyester Body Fillers

Hardening agent designed to be used with all U-POL polyester fillers.

• Unique sachet packaging and tube for U-POL dispenser

CODE	SIZE	COLOUR	CTN	
HRED/L	40g Sachet	Red	20	
HWHITE/L	40g Sachet	White	20	
HAR/DISP	70g Tube	Red	18	

ONION BOARD[™] Multi-Layered Mixing Palette

Coated paper avoids soaking up resins and solvents.

- Reduces clean up time
- Simply tear off and discard used sheet

CODE	SIZE	COLOUR	CTN	
ON/1	100 Sheet Pad	White	10	



APPLICATORS FOR BODY FILLER

Plastic applicators with a flat leading edge to give a smooth finish.

• Available as a single applicator or multi-size pack

CODE	SIZE	COLOUR	CTN	
APL/1	Single applicator	Black	20	
APL/3	Set of 3 applicators	Various	20	



DISPENSER GUN For Body Fillers and Hardeners

Patented U-POL application gun for dispensing fillers and hardener.

• Dispenses product to the correct mixing ratio

• Small and portable design

CODE	SIZE	COLOUR	CTN	
DISP/1	Dispenser	-	6	

U-POL PERFORMANCE AEROSOLS



Our performance aerosols are a comprehensive range ideal for spot/panel and SMART applications. Special clog-free nozzles give a spray gun like finish to every job.

PREMIUM AEROSOLS



Upat

CLEAR#1 **UV Resistant Clearcoat**

Advanced clearcoat that gives an excellent high gloss finish with UV resistance and durability. Ideal for spot repairs, wing mirror covers, door handles and mouldings.

- Excellent flow and depth of gloss
- Easy to use and fast drying

CODE CLEAR/AL

WELD#2 Weld Through Primer

- Fast drying
- Corrosion resistant

CODE WELD/AL WELDC/AL

SPOT#3 **Universal Spot Primer**

A fast drying universal spot primer ideal for small rub through areas and localised repairs. Use directly on metal or plastic parts.

- · Highly flexible, excellent adhesion
- Fast drying and easy to sand

CODE SPOT/AL











- · Compatible with solvent and water based basecoats



SIZE	COLOUR	CTN	
450ml Aerosol	Clear	6	

A high adhesion, super conductive primer offering excellent rust protection when applied to suitably prepared panels prior to SPOT, MIG and TIG welding.

• High concentration of zinc or copper in the dry film



SIZE	COLOUR	CTN	
450ml Aerosol	Zinc	6	
450ml Aerosol	Copper	6	

- Can be overcoated with most water or solvent based top coat



15-20 mins

SIZE	COLOUR	CTN
450ml Aerosol	Grey	6



Direct to metal, prepared OEM paint surfaces, aluminium. galvanised, SMC, fibreglass, lightly abraded E-Coat

GRIP#4

CODE

HIGH#5

GRIP/AL

1K Universal Adhesion Promoter

A ready to use universal adhesion promoter for paints, adhesives and sealants. Ideal for all automotive surfaces such as plastics, aluminium, fibreglass, galvanised and painted surfaces. Replaces the need to abrade surfaces in difficult to access areas.

COLOUR

COLOUR

Grey

Black

White

COLOUR

Clear

Dark Grey

Clear

• Sprays flat - no sanding required

High Build Primer Filler

body fillers, GRP and prepared steel.

• Fast drying, easy to sand

CODE

HIGHG/AL

HIGHB/AL

HIGHDG/AL

HIGHW/AL

Solvent Based Degreaser

• Fast evaporating for localised repairs

· Formulated to avoid attack on existing paint film • Can be used on bare metal and existing paint surfaces

wax, grease and silicones.

WIPE#6

• Can be overcoated with most water or solvent based paint systems

SIZE

• Produces a similar film thickness to spray applied primers

SIZE

450ml Aerosol

450ml Aerosol

450ml Aerosol

450ml Aerosol

An anti-static, anti-silicone degreaser that removes contaminants including

450ml Aerosol

A primer with ultra high build filling properties for a very smooth surface prior

to application of the top coat. Ideal for spot repairs on fully cured paint, polyester

• Provides a protective barrier against lifting or solvent attack



10-20 min

↔∣

-2 coats @ 25c

; i ; :

CTN

CTN

6

6

6

CTN

6

6



Substrates: Direct to metal, prepared OEM paint surfaces, aluminium. galvanised, SMC, fibreglass, lightly abraded E-Coat

ACID#8 **1K Acid Etch Primer**

- Fast drying
- · Super smooth finish can be directly overcoated
- Excellent anti-corrosive properties

CODE

ACID/AL

Also available in 1L tin - ACID/1 page 2

BLEND#9 Fade Out Solvent

and solid colours. Ideal for all types of repairs.

- Invisible blend finish
- For use with all coatings · Suitable for SMART repair



CODE BLEND/AL

GUARD#10 Gravi-Gard[™] Stone Chip Protector

A textured, durable coating to protect against stone chips, salt, damp and rust. Supplied with two nozzles for either a fine or coarse finish.

- Sound dampening ideal for body panels and inside engine compartments • Fast drying and can be overpainted

CODE GUARD/AL

TRIM#11 High Build Top Coat

A high build top coat to restore the original appearance of trim and areas around windows, doors, handles, outside of mirrors, bumpers and alloy wheels.

- Suitable for use over existing paint surfaces • Fast drying, clog free formulation
- High opacity

CODE	
TRIMGB/AL	
TRIMMB/AL	
TRIMSB/AL	
TRIMGW/AL	
TRIMSLW/AL	
TRIMSTW/AL	



4001

men 3 m

Direct to metal, prepared OEM paint surfaces, SMC, fibreglass lightly abraded E-Coat



Substrates: Direct to metal, prepared OEM paint surfaces, aluminium, galvanised, SMC, fibreglass, lightly abraded E-Coat

16



GUIDE#7 **Dry Guide Coat**

CODE

WIPE/AL

A highly effective dry powder guide coat that highlights and identifies surface imperfections when sanding fillers or primers.

450ml Aerosol

SIZE

- Does not clog or block abrasives
- Suitable for dry or wet sanding
- Fast drying



CODE	SIZE	COLOUR	CTN
GUIDE/AL	450ml Aerosol	Black	6



Substrates: Direct to metal, prepared OEM galvanised, SMC, fibreglass, lightly abraded E-Coat

LACK Aber 318











paint surfaces, aluminium.















HOD

8

UK I

404ED 3 38E

Upol



Promotes paint adhesion to difficult substrates such as galvanised steel and aluminium. Ideal for rub through areas in primer prior to application of colour.



SIZE	COLOUR	CTN	
450ml Aerosol	Grey	6	
28			

A fast and effective blending solvent to fade out the edges of clearcoat

rs			1 coat @ 25cm
SIZE	COLOUR	CTN	
450ml Aerosol	Clear	6	

• High build formulation covers weld marks and seams



3-4 hours

SIZE	COLOUR	CTN	
450ml Aerosol	Black	6	





SIZE	COLOUR	CTN	
450ml Aerosol	Gloss Black	6	
450ml Aerosol	Matt Black	6	
450ml Aerosol	Satin Black	6	
450ml Aerosol	Gloss White	6	
450ml Aerosol	Silver Wheels	6	
450ml Aerosol	Steel Wheels	6	



PLAST X Plastic Pre-Cleaner

- Ease of control
- Does not attack or re-soften plastics
- Low odour

CODE	SIZE	COLOUR	CTN	
PLAS/1	400ml Aerosol	Clear	9	



PLAST X Plastic Adhesion Promoter

- Improves adhesion of paint, adhesives and sealants to most plastics
- Can be overpainted with most paint systems
- Suitable for use on most plastics, polyester body fillers and GRP

CODE	SIZE	COLOUR	CTN
PLAS/2	400ml Aerosol	Clear	9



Ρ	L	A	S	ТΧ	Pla	stic	; Pri	mei	r &	Hi	igh I	Build	Plastic Primer Filler
				<i></i>									

- Ideal for filling minor imperfections and sanding marks
- Fast drying, easy to sand

DI AOT V

• Apply directly to plastics and difficult substrates - no adhesion promoter required

CODE	SIZE	COLOUR	CTN
PLAS/3	400ml Aerosol	Grey	9
PLAS/3HB	400ml Aerosol	Grey	9



PLAST X Texture Coating

- Easy to use and flexible
- Use to create original texturised finish on plastic components
- Can be top coated in 15 minutes

CODE	SIZE	COLOUR	CTN	
PLAS/4C	400ml Aerosol	Black Coarse	9	
PLAS/4F	400ml Aerosol	Black Fine	9	

PLAST X Trim Top Coat

- Top coat for suitably primed plastic components
- Achieves a satin, durable finish
- Excellent coverage and fast drying

CODE	SIZE	COLOUR	CTN	
PLAS/5B	400ml Aerosol	Black	9	
PLAS/5BG	400ml Aerosol	Basalt Grey	9	
PLAS/5DG	400ml Aerosol	Dark Grey	9	
PLAS/5GG	400ml Aerosol	Graphite	9	
PLAS/5LG	400ml Aerosol	Light Grey	9	
PLAS/5MG	400ml Aerosol	Medium Grey	9	
PLAS/5SB	400ml Aerosol	Signal Black	9	
PLAS/5TB	400ml Aerosol	Traffic Black	9	

POWER CAN AEROSOLS







Use for priming bare metal surfaces to promote adhesion of paint and prevent the metal surface from rusting.

- Ideal for rub through areas prior to painting
- Can be directly overcoated with a top coat
- Anti-corrosive, prevents steel from rusting

CODE PCEP/AL

POWER CAN[™] **High Build Primer**







• High build and fast drying

CODE PCPG/AL



POWER CAN[™] Clearcoat

High performance clearcoat aerosol. Ideal for spot repairs.

- Excellent high gloss finish with UV resistance
- Suitable for use over basecoats
- Fast drying and durable

CODE PCLC/AL

POWER CAN[®] **Top Coat Colour**

or high gloss finish.

- Easy to use and flexible
- Convenience of a spray can reduces paint consumption
- Economic, durable top coats

CODE	
PCGB/AL	
PCGW/AL	
PCMB/AL	
PCSB/AL	





AEROSOLS





↔

I-2 coats @ 25cn

10-20 mins

-2 coats @ 25cr

Ľ.

30 mins


 \leftrightarrow

I-2 coats @ 25cm

60 mins







AEROSOLS



		10-20 mins
SIZE	COLOUR	CTN
500ml Aerosol	Dark Grey	12

Primes and fills surface imperfections prior to top coating. Use on fully cured paint,



30 mins

SIZE	COLOUR	CTN	
500ml Aerosol	Grey	12	



SIZE	COLOUR	CTN
500ml Aerosol	Clear	12

High build top coat for finishing primed surfaces to achieve a matt, satin



20-30 mins

500ml AerosolGloss Black12500ml AerosolGloss White12500ml AerosolMatt Black12	SIZE	COLOUR	CTN
	500ml Aerosol	Gloss Black	12
500ml Aerosol Matt Black 12	500ml Aerosol	Gloss White	12
	500ml Aerosol	Matt Black	12
500ml Aerosol Satin Black 12	500ml Aerosol	Satin Black	12

AEROSOL FILLING SYSTEM





CUSTOM	CAN [™]	FILL-0	NE
FILL-ONE Cu	istom C	an Filling	g Machines

Fill-One **Custom Can** pneumatic and manual filling machines, ideal for filling single aerosols, one colour at a time.

- Fast filling fill aerosols in 10 seconds
- Unique colour indicator cap to prevent repeat fills
- Compatible with pre-gassed Custom Can Fill-One aerosols

CODE	PRODUCT	SIZE	CTN
CCFOFILLP	Custom Can Filling Machine Pneumatic	-	1
CCFOFILLM	Custom Can Filling Machine Manual	-	1
CCFOUP/AL	Custom Can Solvent Based	400ml Aerosol	12
CCFOWP/AL	Custom Can Water Based	400ml Aerosol	12
CCFOBASEP	Base	-	1

CUSTOM CAN[™] Solvent Based Aerosols

Pre-gassed aerosols ready to be filled with 100ml paint.

- Produces a clog-free, spray gun-like application
- Contains a universal solvent blend compatible with all solvent based coatings

• Contains a universal solvent blend compatible with all solvent based coatings			
CODE	SIZE	CTN	
CCUP/AL	400ml Aerosol	12	*Dependent on supplied paint

CUSTOM CAN[™] Water Based Aerosols

CUSTOM CAN[™] COLOUR CENTRE

Professional Aerosol Filling Machine

Pre-gassed aerosols ready to be filled with 100ml water based automotive paint.

• Produces a clog-free, spray gun-like application

CODE

CODE

CCFILLP

CCCUP

CCPIS

CCPISTIP

CCWP/AI

 Contains a special blend compatible with all water based coatings SIZE

Pneumatic filling machine designed for single and multi aerosol filling.

• Produces 400ml pre-gassed aerosols with a single shot of 100ml paint

400ml Aerosol



≫•

1-2 coats @ 25cm

1-2 coats @ 25cn

*Dependent or supplied paint

CTN





CUSTOM CAN[™] COLOUR CENTRE Custom Can Pneumatic Multi Fill Machine

Piston Tip

PRODUCT

Cup

Piston

Pneumatic multi-filling machine designed for multi aerosol filling, up to 200 per hour.

Custom Can Filling Machine Pneumatic

- Variety of bases to allow for different viscosities
- Remove and reuse filling hopper

CODE	PRODUCT	CTN
CCMFILLP	Custom Can Pneumatic Multi Fill Machine	1
CCBVALVE	Ball Valve	1
CCRHOPPER	Replaceable Hopper	4
CCRUBRING	Rubber Ring	50
CCTBASE3H	Base 3 Holes	1
CCTBASE5H	Base 5 Holes	1
CCTBASE9H	Base 9 Holes	1

U-POL COATINGS

Made from the highest quality European resins, **U-POL** coatings offer superior performance in a range of formulations to suit a variety of bodyshop conditions and specialised applications. The range includes the comprehensive System 20 range, all of which can be air dried, low baked or I.R. cured.



SYSTEM 20

- systems.
- high gloss finish.



System 20 is a comprehensive range of coatings, primers and thinners for application with most water and solvent borne basecoat paint

System 20 features excellent UV resistance and a durable high build,

System 20 Coatings are available in VOC compliant formulations.

SYSTEM 20 CLEARCOATS

The **System 20** Clearcoat range is formulated to deliver high build, high gloss coatings offering excellent UV resistance and long term durability. System 20 Clearcoats can be applied over most common basecoat paint systems including water based, with excellent flow and non-sag properties. Different formulations are available including specialised functions all of which can be air dried, low baked or I.R. cured.

S2080 **Superior HS Clearcoat**

A superior high solids clearcoat providing excellent depth of gloss and image clarity. Crystal clear formula which will not discolour the basecoat making it ideal for all types of paintwork applications.

- Excellent UV and weather resistance
- Tough and durable
- Thin by up to 10% with U-POL System 20 Thinners



F

2 coats

30 mins @ 60°C 12-14 hrs @ 20°(

F

30 mins @ 60°C 14-16 hrs @ 20°(

. . .

CODE	SIZE	COLOUR	CTN	
S2080/1	1L Tin	Clear	6	
S2080/5	5L Tin	Clear	2	

* Recommended for non-voc compliant applications



upol

SYSTEM 20

SUPERIOR HS CLEARCOAT

S2080/I



Crystal Clear Scratch Resistant Clearcoat

High solids acrylic clearcoat forms a durable and tough scratch resistant surface. Crystal clear formula will not discolour the basecoat. Recommended for multiple panel and full resprays for a very high gloss finish.

- Tack free in 60 mins
- · Easy to flat and polish
- Thin by up to 10% with U-POL System 20 Thinners

CODE	SIZE	COLOUR	CTN
S2080SR/1	1L Tin	Clear	6
S2080SR/5	5L Tin	Clear	2



S2081EV Diamond UHS Clearcoat

Ultra high solids acrylic coating recommended for all basecoats. Easy to use with a dust coat followed by a full coat with no flash off required between coats. Cure time can be reduced by up to 30-50% when used with S2005EV Accelerator, (application and environment dependent).

• High build UV resistant coating

- Excellent flow and non-sag properties
- Use only with S2038EV and S2039EV hardeners

CODE	SIZE	COLOUR	CTN
S2081EV/1	1L Tin	Clear	6
S2081EV/5	5L Tin	Clear	2

SYSTEM 20 PRIMERS

S2021

A fast drying, multi-purpose primer offering the functionality of '2 products in 1' - primer filler and primer surfacer. High adhesion and corrosion resistance makes it suitable for spot repairs to full panel applications.

- Excellent build and opacity
- Fast drving
- Use with S2030 and S203

CODE	SIZE	COLOUR	CTN
S2021G/1	1L Tin	Grey	6
S2021G/3	3L Tin	Grey	4
S2021G/5	5L Tin	Grey	2
S2021W/1	1L Tin	White	6
S2021W/3	3L Tin	White	4
S2021B/1	1L Tin	Black	6
S2021B/3	3L Tin	Black	4

S2025 **High Build Primer**

A multi-purpose primer offering the functionality of '2 products in 1' - primer filler and primer surfacer. It is suitable for spot repairs to full panel applications which can be air dried, low baked or I.R. cured.

- · Easy to sand and gives perfect gloss hold out
- · Excellent build and opacity

Use with S2030 and S2032 hardeners

CODE	SIZE	COLOUR	CTN
S2025/1	1L Tin	Grey	6
S2025/3T	3L Tin	Grey	4
S2025/4	4L Tin	Grey	2
S2025B/1	1L Tin	Black	6
S2025B/3	3L Tin	Black	4
S2025W/1	1L Tin	White	6
S2025W/3T	3L Tin	White	4
S2025W/4	4L Tin	White	2

U-POL Grey-Shades Primer System

U-POL Grey-Shades will support the bodyshops to create the right ground colour to match topcoat colour, ensuring coverage and colour match are achieved with the minimum number of coats. Mixing two primers in below mixing percentage/ratio can achience the desired shade of ground colour.

52021 / 52025	
White	
Grey	
Black	

	S2025/ Grey
	A DEFENSION R. GRANED DESEMBLY MONTH R. MARGING DESEMBLY MONTH R. DOCTOR REPORT OF MARK
(08



upol SYSTEM 20 **S HIGH BUILD** PR





System 20 Primers - a range of high quality automotive primers that can be applied directly to most substrates including E-coat. The primer range has been extended to include 3 colours - black, white and grey. These shades make up the colours to support U-POL Grey-Shades System.

Ultra High Solid High Build Primer

2 hardeners



Ï.

30 mins @ 60°C 2-3 hrs @ 20°C

30 mins @ 60°C 3-4 hrs @ 20°C

I	5	3	4	5
100%		75%		
	100%		50%	
		25%	50%	100%



High performance 2K solid colours.

S20600 Solid Colours

High quality acrylic solid colour for direct application over U-POL primers. Easy to polish when cured by air, low baked or I.R.

- High build UV resistant coating
- Excellent hiding power, gloss and long term durability
- Use with S2030 and S2032 hardeners





S2038EV **Fast Hardener**

Use with UHS EV Clearcoats and UHS EV Solid Colours.

• Ideal for spot and panel repairs

CODE	SIZE	COLOUR	CTN
S2038EV/S	330ml Tin	Clear	6
S2038EV/1	1L Tin	Clear	6
S2038EV/2.5	2.5L Tin	Clear	4

S2039EV **Standard Hardener**

High quality isocyanate hardeners for use with 2K acrylic coatings. Use with UHS EV Clearcoats and UHS EV Solid Colours.

• Ideal for larger repair areas

CODE	SIZE	COLOUR	CTN
S2039EV/S	330ml Tin	Clear	6
S2039EV/1	1L Tin	Clear	6
S2039EV/2.5	2.5L Tin	Clear	4

SYSTEM 20 THINNERS

upol

FRSAL THINNER

SYSTEM 20

System 20 Thinners - high quality formulations to adjust the spray viscosity of most paint systems. Compatible with most **U-POL** paint systems.

S2044 Fast Drying Universal Thinner

S2045 **Standard Universal Thinner**

S2046 Slow Drying Universal Thinner

CODE	SIZE	COLOUR	CTN	
S2044/1	1L Tin	Clear	6	
S2044/5	5L Tin	Clear	2	
S2045/1	1L Tin	Clear	6	
S2045/5	5L Tin	Clear	2	
S2046/1	1L Tin	Clear	6	

				12 141113 @
CODE	SIZE	COLOUR	CT	'N
S20600/	'1 1L Ti	n Brilliant	White 6	
S20600/	′5 5L T	n Brilliant	White 2	
S20610/	1 1L Ti	n Gloss Bla	ack 6	
S20610/	5 5L T	n Gloss Bla	ack 2	

upol SYSTEM 20 FAST HARDENER S2030/M 500mile System 20 Hardeners - high quality isocyanate hardeners for 2K acrylic coatings. For use with System 20 2K Primers, Clearcoats and Solid Colours. Water clear so does not affect the final colour. Different speeds for spot/panel repair or full respray.

S2030

Fast Hardener

High quality isocyanate hardeners for use with 2K acrylic coatings. Use with System 20 HS and SR Clearcoats, UHS Primers and HS Solid Colours.

• Ideal for spot and panel repairs

CODE	SIZE	COLOUR	CTN	
S2030/SM	250ml Tin	Clear	12	
S2030/S	330ml Tin	Clear	6	
S2030/M	500ml Tin	Clear	6	
S2030/1	1L Tin	Clear	6	
S2030/25	2.5L Tin	Clear	4	
S2030/5	5L Tin	Clear	2	



S2032 **Standard Hardener**

High quality isocyanate hardeners for use with 2K acrylic coatings. Use with System 20 HS and SR Clearcoats, UHS Primers and HS Solid Colours.

• Ideal for larger repair areas

CODE	SIZE	COLOUR	CTN	
S2032/SM	250ml Tin	Clear	12	
S2032/S	330ml Tin	Clear	6	
S2032/M	500ml Tin	Clear	6	
S2032/1	1L Tin	Clear	6	
S2032/25	2.5LTin	Clear	4	
S2032/5	5L Tin	Clear	2	







High quality isocyanate hardeners for use with 2K acrylic coatings.



ROCKET[™]

Paint Accelerator

Liquid additive for use with 2K isocyanate hardeners to achieve rapid through-cure. Accelerates through curing of 2K primers, top coats and clearcoats significantly reducing stoving times. Offers increased workshop throughput and energy savings.

- Reduces drying time by between 30-50%
- Speeds up demasking and overpainting when mixed with 2K hardeners
- Compatible with most 2K coatings

CODE	SIZE	COLOUR	CTN	
ROC/S	250ml Bottle	Clear	10	
S20R0C/M	500ml Bottle	Clear	6	



S2003

Plastic Primer Adhesion Promoter

Universal plastic primer, promotes adhesion of paints, adhesives and sealants to most plastics prior to the application of colour.

- Fast drying
- · Easy to apply

CODE	SIZE	COLOUR	CTN
S2003/1	1L Tin	Clear	6

upol TEM 20

S2000 Water Based Degreaser

High performance anti-silicone panel wipe with aggressive degreasing action to remove contaminants such as wax, grease and silicones. Anti-static properties enable the effective removal of surface static (built up during the preparation stages) prior to overcoating. Ideal for plastic substrates.

COLOUR

Clear

CTN

• Low VOC formula suitable for solvent sensitive plastics

SIZE

5L Container

- Compatible with most paint systems
- Non-flammable, non-hazardous

CODE

S2000/5



S2005EV **VOC Compliant Clearcoat Accelerator**

Liquid additive for use with U-POL EV paint systems. Specifically designed for 2K UHS Clearcoat systems. Offers increased workshop throughput and energy savings.

- Significantly reduces stoving times

S20FISH

and crater formation.

CODE	SIZE	COLOUR	CTN
S2005EV/M	500ml Bottle	Clear	6

S2001 & S2002

Solvent Based Degreaser

Anti-static and anti-silicone panel wipe with aggressive degreasing action to remove contaminants such as wax, grease and silicones. It is suitable for use on bare metal and existing paint surfaces prior to any painting operation. Two speeds available with fast evaporation ideal for localised panel repairs and slow degreaser for larger repairs.

- Does not attack existing paint films
- Effectively removes contaminants and static
- · Compatible with most paint systems





CODE S20FISH/S 2





• Ideal for use on difficult to coat plastics such as Thermoplastic Olefins (TPO)

• Improves the cure time for **U-POL** EV paint systems by 30-50%


• Speeds up demasking and overpainting when mixed with 2K EV Clearcoats and Solid Colours

Fisheye Eliminator Anti-Silicone Additive

Additive for automotive and industrial top coats to improve levelling, eliminate fisheyes

IZE	COLOUR	CTN
50ml Bottle	Clear	10





P88[™] **Nitrocellulose Primer**

A fast drying, high build Nitrocellulose primer suitable for filling surface scratches in metal, polyester body filler, glass fibre mouldings and most refinish paint systems.

- Very high solids formulation for excellent coverage
- Flat to a feathered finish
- Use with Nitrocellulose thinners for best results





P400-P600

CODE	SIZE	COLOUR	CTN
P88/1	1L Tin	Grey	6
P88/5	5L Tin	Grey	2

COLOUR

Grey

Grey

Grey

COLOUR

Grey



aluminium or galvanised panels



Ready to use 1K formula

ZINC 182[™] **Rust Inhibiting Primer**

High performance anti-rust primer suitable for use on all ferrous metal surfaces. Anti-corrosive properties make this a highly effective rust inhibiting primer. It is suitable for use on bare metal and existing paint surfaces.

SIZE

1L Tin

2.5L Tin


250ml Tin

Acid#8 is a fast drying primer to help paint adhere to difficult substrates.

SIZE

1L Tin

• Can be overpainted with most paint systems





CTN

10

6

CTN

6

4



BARCOAT Quick Drying Isolator

- Ready for use
- Overcoat with a suitable primer in 1 hour

CODE BAR/1

ACID#8 **Acid Etch Primer**

CODE

Z182/S

Z182/M

Z182/2.5



Substrates: Bare metal, prepared aluminium and galvanised, GRP, SMC, fibreglass, polyester filler, OEM surfaces

Ideal for rub throughs in primer prior to application of colour, new bare metal panels.

- Anti-corrosive prevents steel from rusting • Can be directly overpainted - no sanding required
- Chromate free formulation

CODE

ACID/1







GREY STRIPE[™] **Brushable Seam Sealer**

Flexible brushable seam sealer for overcoating of welded joints. Ideal for use in luggage and engine compartments to recreate the original finish.

- Fast drying, one coat application
- Non string formula is clean, quick and easy to apply
- Overpaint with most paint systems

CODE GS/1

Also available in 450ml aerosol - ACID/AL page 17






GRAVITEX PLUS® HS Stone Chip Protector

A hard, durable underbody coating that can be used to reproduce the manufacturers original stone chip protective finish. Sound and vibration dampening makes it ideal for use inside compartments and panels.

• High build formula covers weld marks and seams • Protects against stone chips, salt, damp and rust



SIZE	COLOUR	CTN	
1L Bottle	Black	12	
1L Bottle	Grey	12	
1L Bottle	White	12	

A quick drying yellow oxide isolator. Ideal for restoration work, prevents lifting and bleeding of existing paint film sensitive to solvent attack.



SIZE	COLOUR	CTN
1L Tin	Yellow	6



6-10 mins (touch dry) 7-8 hrs (through dry)

SIZE	COLOUR	CTN	
1L Tin	Grey	6	

EVERYTHING YOU EXPECT FROM RAPTOR NOW IN AN AEROSOL





RAPTOR KITS BED LINER & PROTECTIVE COATING



CODE	
RLB/S1	
RLT/S1	

4 BOTTLE RAPTOR KIT Tough Protective Coating

The 4 Bottle **RAPTOR** Kit is the industry standard in bed liner coating. Each kit contains 4 x bottles of **RAPTOR** and 1 x tin of hardener.

	AFIUN Stanuaru anu proi	essional application gun		
CODE	SIZE	COLOUR	CTN	
RLB/S4	4L Kit	Black	1	
RLT/S4	4L Kit	Tintable	1	
RLW/S4	4L Kit	White	1	

5 LITRE RAPTOR Tough Protective Coating

and full oversprays.

RAPTOR that will cover approximately 60m²

CODE	SIZE	COLOUR	CTN
RLB/5	5L Tin	Black	2
RLT/5	5L Tin	Tintable	2
RLH/5	5L Tin	Hardener	2

RAPTOR ANTI-CORROSIVE EPOXY PRIMER

The RAPTOR Anti-Corrosive Epoxy Primer is a high performance 2k primer.RAPTOR Anti-Corrosive Epoxy Primer's advanced resin technology improves adhesion to bare metal and most other prepared surfaces, and promotes intercoat performance to further extend the life of RAPTOR protective coating. Approximate coverage per litre 6.00m² @ 75µ DFT.

- directly on to surface rust**

CODE	SIZE	COLOUR	CTN
REP/1LK	1 Bottle Kit	Grey	8
REP/5LK	5 Bottle Kit	Grey	1

*Tested completed at >1000 hours according to ASTM protocols (B117) at an independent laboratory **Metal should be prepared in accordance with the TDS

RAPTOR ACCESSORIES

		ou got grout rot		
CODE	DESCRIPTION	SIZE	COLOUR	CTN
RLTR/SM	Slip Resistant Additive Traction	200g Bag	Clear	12
RPTEP/AL	Acid Etch Primer	450ml Aerosol	Grey	6
RPTAP/AL	Universal Adhesion Promoter	450ml Aerosol	Clear	6
GUN/VN	Professional Vari-Nozzle Application Gun	Gun		6
GUN/1	Application Gun	Gun		5
ROLLERPACK	RAPTOR Roller and Tray Kit			6





RAPTOR²K AEROSOL

The RAPTOR 2K Aerosol offers a fast, easy way to apply RAPTOR without compromising performance, no spray equipment necessary. The durability of RAPTOR with the convenience of an aerosol. Ideal for spot repairs and small jobs (typical coverage is 1.35 m2 per can).

- Textured "gun" finish
- No mess, no clean-up application
- Easy and convenient activate using the valve on base
- Pot life at 20°C when activated is 60 min
- Spraying at a distance of 60-90cm from the object





RAPTOR 2K ANTI-CORRISIVE EPOXY PRIMER AEROSOL

RAPTOR Anti-Corrosive Epoxy Primer is a 2K high performance primer aerosol designed to be used under RAPTOR Protective Coating to further extend the protective and anti-corrosive properties of RAPTOR. The advanced resin technology improves adhesion to bare metal and most other prepared surfaces such as aluminium and galvanized. It contains a blend of anti-corrosive additives to inhibit rust and corrosion.

- Compatible with all standard water borne and solvent borne coatings
- Easy to activate. Once activated has up to 4 days pot life in can. No measurements and no gun to clean
- The RAPTOR Anti-Corrosive Epoxy Primer Aerosol covers approximately 0.75 1.0m2 @ 70µ for 2 coats
- Adjustable spray nozzle suitable for larger repairs as well as precise, controlled

CODE	SIZE	COLOUR	CTN
REP/AL	400ml Aerosol	Beige	6



30







1 BOTTLE RAPTOR KIT Tough Protective Coating

The 1 Bottle **RAPTOR** Kit is ideal for smaller applications and touch-ups.

Each kit contains 1 bottlel of **RAPTOR** and 1 tin of hardener in an eve-catching retail package.

• The 1 Bottle **RAPTOR** Kit covers approximately 3m²

• Compatible with both **RAPTOR** standard and professional application guns

SIZE	COLOUR	CTN	
1 Bottle Kit	Black	6	
1 Bottle Kit	Tintable	6	

• Each kit covers approximately 12m², enough to do a full size pick-up truck bed

Compatible with both **RAPTOR** standard and professional application our

The 5 Litre RAPTOR tins are ideal for large areas such as trailers, floors, heavy equipment

• Mix 3:1 (15 Litres of RAPTOR to 5 Litres of hardener) to make more than 20 Litres of

• Can be brush applied, rolled or sprayed through pneumatic or conventional HVLP spray equipment

• Anti-Corrosive additives prevent rust and corrosion with excellent salt spray resistance* • Improves adhesion to bare metal and most other prepared surfaces and can also be applied

A range of **RAPTOR** accessories is available to help you get great results every time.

ADHESIVES & PLASTIC REPAIR

A range of adhesives with a variety of speeds for metal and plastic repairs. Speeds range from quick 90 seconds for lug repairs to 45 minutes for panel bonding.



STRONGHOLD SEMI RIGID ADHESIVE

STRONGHOLD 904

and sectional replacements.

- Withstands temperatures up to 140°C
- Good impact resistant properties

CODE SH9042

STRONGHOLD 915

Fast curing, non-shrinking adhesive. Ideal for bonding Thermoplastic Olefins plastics such as PP, PP-EPDM, EPDM.

- · Ideal for fast fix bonding such as splits and tears
- Non-sag

CODE	
SH9151	
SH9152	

PLASTIC REPAIRS



plastic parts. Flexible PU adhesive • Excellent gap filling properties

Non-sag and shrink

CODE PLAS/A

PLAST X[™] Bumper Repair B

Fast curing, high performance adhesive for permanent repairs to most rigid plastic parts.

- Excellent adhesion
- Can be sanded and overpainted
- · Non-sag and shrink

CODE	SIZE	COLOUR	CTN	
PLAS/B	50ml Cartridge	Black	5	

PLAST X[™] Mixing Tips

Static mixer tip for use with all 50ml/200ml adhesive cartridges.

- 1:1 mixing of the 2K product
- · For use with adhesive to replicate OEM finishes

CODE PLAS/TIP SHTIPM

STRONGHOLD





A flexible high density body filler. Can be used on flexible plastics. Ideal to repair holes, scuffs and scratches in plastic parts. Stronghold 706 can be used as a finishing filler over cured Stronghold adhesives.

- Overpaint with paint systems suitable for coating plastics
- Excellent adhesion on most plastic components
- Excellent feather edge properties.

CODE	SIZE	COLOUR	CTN
SH706/1	600ml Tin	Black	6





STRONGHOLD SEMI RIGID ADHESIVE





Rapid curing adhesive for repair and assembly operations including brackets, lugs, clips, fixings, trims and emblems. Suitable for repairs of rigid plastic and composite sections.


- Good impact resistant properties
- Non-sag and shrink
- Sand and overpaint in 10 minutes



C+

30 mins

P180-P240





Tough, non-sag structural adhesive with excellent strength and durability suitable for repair and assembly and full bodied seam sealer.

- Good impact resistant properties
- High adhesion
- Sand and overpaint in 20 minutes

CODE	SIZE	COLOUR	CTN
SH9021	50ml Cartridge	Black	5
SH9022	200ml Cartridge	Black	6







High strength adhesive for applications requiring a long open time and good gap filling capabilities. Suitable applications include door skins, body kits, small panel

• Bonds to metal, aluminium, SMC, composites and fibreglass



200ml Cartridge Black	6

• Excellent sanding and feather-edging properties



SIZE	COLOUR	CTN
50ml Cartridge	Black	5
200ml Cartridge	Black	6

PLAST X[™] Bumper Repair A

Fast curing, high performance adhesive for permanent repairs to most semi-rigid



SIZE	COLOUR	CTN	
50ml Cartridge	Black	5	



SIZE	COLOUR	CTN
50ml	n/a	50
200ml	n/a	30

ADHESIVES & SEALANTS





A one component ready to use polyurethane sealant and adhesive that bonds to most materials including steel, aluminium and most plastics. Ideal for sealing and bonding body panels, trims and seams.

Professional Resin & Glass Fibre Repair Kit

• A strong, high quality glass fibre mat for the construction of GRP

• Polyester resin suitable for large applications Clear liquid hardener, a catalyst for resin products

The Professional Resin & Glass Fibre Repair Kit can be used to make permanent and

resilient repairs to holes, splits, cracks and tears in most materials including metal, wood,

• Kit contains resin, liquid hardener, matting, mixing cup, gloves and detailed instructions

- · Permanently flexible • Can be overpainted

PLASTIKIT

hard plastic and brick.


Non shrinking



CODE	SIZE	COLOUR	CTN
TIG/NB	310ml Cartridge	Black	12
TIG/GG	310ml Cartridge	Grey	12
TIG/BW	310ml Cartridge	White	12

	/	_
K	6	
		I.PN
	5	
	1	

COMPOUNDS & POLISHES



333 **Cutting Compound**

A cutting compound designed to remove abrasive marks - P1500 grit of finer. Ideal for surface defects and contaminants, restoring paintwork to a high gloss finish.

- Scratch resistant
- Free from silicone and ammonia

QW333/ST 250		
QW000/01 200	lg Tube (Paste)	Cream	20
QW333L/1 1L E	Bottle (Liquid)	Cream	6
QW333/1 1L E	Bottle (Paste)	Cream	12

334 **Fine Finishing Compound**

Suitable for all finishes including dark colours.

• Scratch resistant, swirl eliminator

- Free from silicone and ammonia
- For use with orange foam mop (QWMFFF).

CODE QW334/1

335 **High Gloss Final Glaze**

paintwork whether aged or new.

- Eliminates holograms and swirl marks
- Easy to apply and remove

CODE QW335/1

COMPOUND & POLISH ACCESSORIES

333 Firm Compounding Foam Mops -

CODE	
QWMFFF	
QWMF14	



Substrates: Steel, aluminium, brass, iron, fibreglass, most plastics, glass, wood, ceramics

PLASTIC REPAIRS





, , , , , , , , , , , , , , , , , , ,	5			
CODE	SIZE	COLOUR	CTN	
PK1	Repair Kit	-	2	
FIBRE/1	0.5m ² Matting	White	20	
FIBRE/5	5m ² Matting	White	1	
RE/1	1L Tin	Opaque	5	
RE/2.5	2.5L Tin	Opaque	2	
RE/5	5L Tin	Opaque	2	
CAT/2	20ml Bottle	Clear	6	
CAT/5	50ml Bottle	Clear	6	





.DA







A range of compounds and polishes suitable for all modern paint systems. Covering the requirements of today's bodyshop. Designed to ensure super fast results in eliminating surface defects and producing a very high

• For use with foam or wool mop with or without water



A liquid compound to remove fine abrasive marks. P2000 grit or finer, restores dull oxidized paintwork and blends in dry edges of a repair.



SIZE	COLOUR	CTN
1L Bottle	Cream	6

Recreate a durable professional high gloss finish. Suitable for all modern

• Water miscible, free from silicone and ammonia

SIZE	COLOUR	CTN
1L Bottle	White	6

M14 Thread Plate and Hook & Loop

SIZE	COLOUR	CTN
160mm H&L Foam	Orange	24
150mm M14 Foam	White	12



A range of professional refinish abrasives with optimal performance and durability.

MAXIMUM ABRASIVES Latex Paper Discs

Latex paper backing ensures maximum durability. Delivers consistent performance and perfect surface finish. 6+1 holes configuration for optimum dust extraction.

- Grit range covers surface preparation for all panels and paint finishes
- Provides perfect substrate preparation
- Delivers a fast and efficient cut

PRODUCT	COLOUR	CTN
P80 Grit	Beige	100
P120 Grit	Beige	100
P150 Grit	Beige	100
P180 Grit	Beige	100
P240 Grit	Beige	100
P320 Grit	Beige	100
P400 Grit	Beige	100
P500 Grit	Beige	100
P600 Grit	Beige	100
P800 Grit	Beige	100
	P80 Grit P120 Grit P150 Grit P180 Grit P240 Grit P320 Grit P400 Grit P500 Grit P600 Grit	P80 GritBeigeP120 GritBeigeP150 GritBeigeP180 GritBeigeP240 GritBeigeP320 GritBeigeP400 GritBeigeP500 GritBeigeP600 GritBeige

MAXIMUM PREMIUM ABRASIVES

Film Discs

Delivers a smooth even finish. Consistent grain eliminates rogue scratches. Ideal for use in the blend and polish process.

- Durable lasts 3x longer than paper
- Provides perfect substrate preparation
- Compatible with all paint systems

CODE	PRODUCT	COLOUR	CTN
ABD7/VP1000	P1000 Grit	Green	50
ABD7/VP1200	P1200 Grit	Green	50
ABD7/VP1500	P1500 Grit	Green	50

MAXIMUM FINISHING PADS

High performance cleaning, conditioning and finishing pads.

- Use wet, dry or with spirit-based solvents
- Suitable for preparing metal, fibreglass, plastic and painted surfaces
- Ideal for use on contoured surfaces

CODE	PRODUCT	COLOUR	CTN
APAD/G10	Super Fine Pads	Grey	10
APAD/R10	Fine Pads	Red	10

DISPENSING GUNS



DISPENSING GUNS

- Specially developed application guns for dispensing 2K polyurethane adhesives in 1:1 cartridges
- Use with static spiral nozzles for dispensing and mixing adhesive
- Mixes the correct ratio • Speeds up application time

CODE	SIZE	CTN
PLAS/GUN	50ml Dispenser	6
SHGUN	200ml Dispenser	5
SHGUNS	200ml Dispenser	20

SPRAY GUNS

HVLP GRAVITY SPRAY GUN

- Excellent transfer efficiency
- Available with 4 tip sizes

CODE	
GUNGHV/13	
GUNGHV/14	
GUNGHV/17	
GUNGHV/25	
GUNGHVPC	
GUNGHVKA	

MINI HVLP SPRAY GUN

- Excellent transfer efficiency
- · Compatible with all paint systems

CODE	
GUNGMI/10	
GUNGMIKA	
GUNGMIPC	

SUCTION SPRAY GUN

- Excellent transfer efficiency
- Can be used with all paint systems

CODE	
GUNSCO/16	
GUNSCO/18	

PROFESSIONAL VARI-NOZZLE APPLICATION GUN FOR RAPTOR AND U-POL GRAVITEX

Delivering a professional, consistent finish with the ability to customise your texture.

- Locking nozzle for consistency and repeatability
- Lightweight and easy to use

CODE GUN/VN

APPLICATION GUN FOR RAPTOR AND U-POL GRAVITEX

Lightweight spray gun, specifically designed for the application of **RAPTOR** and HS stone chip coatings.

• Screws directly onto plastic bottle

CODE GUN/1

36

























High performance automotive refinishing spray guns. Excellent combination of **U-POL** guality and value for money.

High quality ergonomic design, compatible with all paint systems.

• Optimum finish with primers, basecoats and clearcoats

DESCRIPTION	CTN	
1.3mm Tip	1	
1.4mm Tip	1	
1.7mm Tip	1	
2.5mm Tip	1	
Plastic Cup	1	
Accessory Kit	10	

High quality ergonomic design - ideal for small spot repairs.

DESCRIPTION	CTN
1.0mm Tip	1
Mini HVLP Gun Accessory Kit	10
Plastic Cup	1

Ergonomic design provides unrestricted air flow through the tube.

• Optimum finish with primers, basecoats and clearcoats

SIZE	CTN
1.6mm Tip	1
1.8mm Tip	1

• Adjustable spray nozzle gives flexibility in your final texture and finish

SIZE	CTN
Spray Gun	6

SIZE	CTN
Application Gun	5

BODYSHOP CONSUMABLES



MAXIMUM PAINTERS OVERALLS

Provide anti-static and reliable protection from all types of solvents and paints.

- Extremely lightweight and long-lasting robust material
- Elasticated waistband, breathable and double-ended zip Supplied with attachable pocket

CODE	SIZE	COLOUR	CTN	
COVER/M	Μ	White	10	
COVER/L	L	White	10	
COVER/XL	XL	White	10	
COVER/XXL	XXL	White	10	
COVER/XXXL	XXXL	White	10	

MAXIMUM PREMIUM MASKS

- Disposable FFP2 dust mask protects from airborne solids and liquids.
- Soft, comfortable inner layer and nose cushion

High quality translucent film, protects from overspray.

• Includes a valve for easy breathing in all conditions • Latex free

• Easy application and static cling holds closely to body contours

PRODUCT

4m x 150m Roll

5m x 120m Roll

Safety Cutter

CODE	PRODUCT	COLOUR	CTN
RESPV	FFP2	White	10

COI OI

Clear

Clear

U-POL



MAXIMUM TACK CLOTHS

MASKING FILM

• Box dispenses and protects

CODE

MFILM/B150

MFILM/B120

MFILM CUT

High performance synthetic cloths ensure a decontaminated surface prior to painting.

- Eliminates particle trappings and contaminants
- Removes dust and dirt particles Gives a mark and smear free surface

CODE	PRODUCT	COLOUR	CTN
TRAG/10	Box	-	10
TRAG/50	Dispenser	-	50

MAXIMUM PROFESSIONAL WIPES GENERAL PURPOSE

Precision woven, extremely strong fabric wipes for clean, grease and fibre-free surfaces.

• Lint free, no tearing or snagging • High solvent absorption capacity

CODE	PRODUCT	COLOUR	CTN
MWPP/350	140m, 350 sheets	White	1

MAXIMUM PAINT FILTERS

High quality lint free nylon filter mesh. Ideal for all paint systems.

• Meshed tip for quick filtration and to eliminate wastage.



CODE	PRODUCT	MICRONS	CTN
PFEF/250	Extra Fine	190 microns	250
PFEF10/250	Extra Fine - Pack 25x10	190 microns	250
PFEF/1000	Extra Fine	190 microns	1000
PFEF10/1000	Extra Fine - Pack 100x10	190 microns	1000
PFF/250	Fine	280 microns	250
PFF10/250	Fine - Pack 25x10	280 microns	250
PFF/1000	Fine	280 microns	1000
PFF10/1000	Fine - Pack 100x10	280 microns	1000
PFSF/250	Super Fine	125 microns	250
PFSF10/250	Super Fine - Pack 25x10	125 microns	250
PFSF/1000	Super Fine	125 microns	1000

Upol

DRIVING SURFACE PERFECTION



Visit www.u-pol.com to learn more about U-POL products.

Plus you'll find other valuable information like Technical Data Sheets and Safety Data Sheets available to easily download.

U-POL Technical T: +44 (0)1933 230 310 F: +44 (0)1933 425 797 technical.support@u-pol.com

U-POL recommends referring to the product TDS for technical data and instructions prior to use.



