

# Material Safety Data Sheet Conforms to 1907/2006/EEC [REACH Art. Nr. 31]

General			
Article number	: 8144		
Description	Colad <sup>®</sup> Booth	Coating	Image: State
1.Name of su	ıpplier:	E.M.M. International B.V.	
Address:		Marsweg 59	
Postal code/Ci Country:	ty:	NL-8013 PE ZWOLLE Netherlands	
Telephone-nur	mher:	+31-38-4676600	
Fax-number:		+31-38-4676699	
Telephone-nur	nber for emergencies:	+31-38-4676600	
This product is <b>3. Compositi</b> This product d 67/548/EC.	on/information comp oes not contain any dan	rous conforms tot 1999/45/EC, 20 <b>conents</b> gerous chemicals conform to the I	
4. First aid p		in all caces of doubt and when ow	natoma prolonga
* General:		in all cases of doubt and when syr cious person something by mouth.	
* Inhalation:		patient warm and give rest.	
		or is irregular breathing, give artifi	cial breathing.
	Doe not give anything		
* Skin:		cious lay him in a stable position a	
SKIII	solvents or diluting ag	ng and shoes. Wash skin with plen ents	ity of water and soap. Do not use
* Eyes:		s when necessary; irrigate with ple	enty of water for at least 10
,		ben and consult a doctor if sympto	
* Ingestion:	Immediately call for a	doctor. Give patient rest. Do not le	et patient vomit.



# 5. Fire-extinguisher

\*Suitable: extinguishing powder, CO<sub>2,</sub> alcohol resistant foam and water spray. \*Not suitable: full water jet.

\*Dangerous decomposition- and combustion products:

Fire gives a thick black smoke. Contact with this smoke can give dangers for health. The use of respiratory protective can be necessary.

Cool containers who have been in the surroundings of the fire with water. Take care that no extinguish material will be enter into drainage system and surface or ground water.

#### 6. Accidental release measures.

Do not breath the damps or mists. Follow the personal protection measures, see point 7 and 8. Dike the mess materials in and collect it with liquids binding absorption materials like sand, earth and acid binders. Dispose contaminated material as waste, see item 13.

Environmental precautions, do not allow to enter drainage system, surface or ground water. Clean with real cleaning material, avoid the use of solvents.

If the product comes into lakes, rivers or the drainage system, call the local authorities to clean it up in accordance with the local law(s).

# 7. Handling precautions and storage

Handling.

Keep good closed packing out of the range of sources of heat, spark and open fire. Avoid contact with skin and eyes. Do not breath damp or spray mist. Do not smoke, eat or drink in places where this product is in use. For personal care see item 8.

Never use pressure to empty the packing, the packing is not an expansion vessel. Always save in the original packing.

Take care of the use of the laws about safety and health on the working place.

Storage.

See the measures on the etiquette. Store frost proof by temperatures between 5 and 30° C. Store only in dry, good ventilated store rooms, out of the range of sources of heat and direct sunlight. Store out of the range of oxidizing agents, strong acids and strong alkali's.

Smoking is forbidden; entrance only for authorized personal.

Keep containers tightly sealed; close containers which has been opened well and place right up so that there can not be any change of leakage.

Use.

No specific orders for use.

### 8. Measures to control exposure/personal protection

Ensure good ventilation/ exhaustion at the workplace. Exposure limits: Not applicable.

Personal protective measures

Inhalation protection: not applicable.

Hand protection:	use protective gloves; a protective crème can help to protect skin or hands. Do
	not use this crème when there has already been contact with the product.
Eye protection:	tightly sealed safety glasses.
Skin protection:	wash all parts of the body which have been in contact with the product.

# 9. Physical and chemical data

-	Appearance:	fluid.		
-	Explosion danger:	product is not explose	sive.	
-	Flash point:	non.		
-	pH:	5.6		
-	Relative density:	at 20° C, 1,02 kg/dn	1 <sup>3</sup> .	
-	Solubility in water:	100 %.		
-	Vapor density:	1.		
-	Viscosity:	30 sec DIN 4mm	Method: DIN 53211	

10 Stability and re	eactivity.	
	tances to be avoided:	stable, if used conform the regulations (see item 7)
Dangerous decompo	osition products:	dangerous decomposition products if the product has been exposure at high temperatures are CO, CO <sup>2</sup> , smok and nitrogen oxide.
Do not store in the s	surrounding of:	oxidizing agents, strong alkali's and strong acids to prevent exothermic reactions.
11. Toxically data		
There are no data k	nown about the product i	itself. The product is classified conform the Dangerous t contain classified materials.
resulting in non alle	rgic contact dermatitis an	paration may cause removal of natural fat from the skin, ad absorption through the skin. irritation and reversible damage.
12. Ecological dat	а	
There are no data a	vailable on the preparation oduct to enter drains or w	
13. Instructions for	or removal	
		watercourses by this product.
- Cleaning me - Rests of pac	•	orm all federal, state and local applicable regulations. orm cleaning methods product.
14. Transport clas	sification	
		onform to the international transport laws (ADR/RID, IMDG
<b>15. Legally oblige</b> This product is not o 2006/8/EC.		cordance with EG Directive 1999/45/EC, 2001/59/EC and
S-sentences: S23 S46	•	r/spray nedical advice immediately and show this container or label.
16. Further inform	nation	
Fully text of R-phras		
This product does no 67/548/EC.	ot contain any dangerous	s substances conform Dangerous Products Directive
The information in t Directive 2001/58/E		suant EU Directive 91/155/EC and its amendments and EU
information, we do i damage, either direct	not accept any responsibi	based at present known and by us reliable esteemed ility for the use of the product, or any liability for loss or by using the product. The user is kept to check the safety, ct before use.
Shelf life Shelf life (not opene	ed): 2 years.	
Cuestad bar		
<b>Created by :</b> E.M.M. International	l BV	
Marsweg 59		phone +31 38 46766
		•
8013 PE Zwolle The Netherlands		fax +31 38 46766