Power-TEC • No.1 for Body Repair Tools & Equiptment

BODYSHOP SAVER



92180 Miracle System - Standard Kit with additional Lever Puller

Ideal for use in areas where it's not possible to use both pads of the standard line puller, or for secondary pulling operations.

• The Lever Puller is ideal for difficult to get at areas & can be used under pressure or tension.



FREE WITH MIRACLE SYSTEM

Full product details available on page 13. Please see Power-TEC part no 92607.

FIND OUT ABOUT OUR TRAINING & SERVICING







Prices start from £295

Miracle 🔐

System

רוכ

See **page 15** for more information

www.power-tec.co.uk

Welding Systems



92545 Aluminium MIG & Panel Repair System

Aluminium work station incorporating an aluminium MIG welder combined with the revolutionary aluminium panel repair system, all housed on a mobile trolley.

- Aluminium repair station includes 200A aluminium MIG welder and aluminium repair welder, complete with trolley.
- MIG can be set up as aluminium, steel or MIG braze.
- Welds on aluminium washers.
- Revolutionary aluminium pin puller.
- Supplied with: 1x 2kg roll of Aluminium MIG Wire, 1x pack of 50 Miracle Special Alumi Bits, 1x pack of 50 Alumax Special Pull Pins.





Panel Repair Accessories



92451 Aluminium Body Hammer Set 3pc

For use on aluminium panels to prevent cross contamination. Specifically designed for panel beating aluminium panels.

 Kit includes: bumping, cross pein & finishing, pick & finishing.

2

PULSE

Clamps

600mm reach



-

91361 Welding Clamp

- C Shaped

Extra wide and deep jaws to get over and around obstacles during body repair



£64.95

£.21.95

Self Locking Multi Grip Pliers

....

300mm react



Ideal for use on flanged lap joints.

· Jaw adjustment: 0 - 15mm.



91364 Long Weld Clamp

and wide opening.

Extra long welding clamps offer deep reach

91363 LL Clamp For use when fixing a sill, side or quarter panel.

Jaw adjustment: 0 - 10mm.





For use in difficult to reach areas.

- Allows door, bonnet, boot or tailgate to be closed to check alignment before welding.
- Jaw adjustment: 0 18mm.





Allows 4 spot welds without removal. Also useful for single sided spot welding. Jaw adjustment: 0 - 12mm.





• Jaw adjustment: 0 - 15mm.





£142.95

91892 Pull Clamp - 50mm Single 50mm jaw clamp with a 5 tonne pull

capacity for use with body pulling equipment.

£109.95



91096 Right Angle Clamp <u>- 40mm</u>

Single jaw clamp with up to 3 tonne pull capacity. Featuring a 40mm jaw and 2 pulling eyelets meaning that it can be used for straight and right angle pulls.

• Pull capacity: 3 tonne in-line, 2 tonne at right angle.



91890 Corner Clamp Ideal for use in confined areas, this corner

clamp holds joints at 90 degree angles. • Eliminates the need to use two clamps.







92340 Mobi-Lift Mk2 with UK Plug

Designed for lifting a vehicle sideways, allowing for mechanical repairs, bodywork or repainting. The compact design with a single movable column including various fittings to suit different types of work makes this an ideal lifting solution, especially where space is limited.

- Max vehicle weight 2500kg; safe lifting capacity 1250kg (one side of vehicle).
- Overall size: 900 x 600mm.
- · Handlebar for easy manoeuvrability into required position.
- Maximum lift height: 980mm.
- Max wheel diameter: 18".







92200 Mobi-Lift Total Lift

Fits over the existing forks on a Mobi-Lift and allows for lifting on the sill as it spreads the weight over a bigger area, minimising the risk of damage.

Dissipates the force applied so that it can be used to lift a vehicle by the sill • as opposed to the jacking point.



5073 Axle Stands

CE K

A pair of axle stands rated at 2 tonne each, with steel welded feet and safety locking pin to prevent accidental release.

• Height range: 265mm - 415mm.





www.toolconnection.co.uk

Storage Solutions



92444 Car Parts Trolley

Equipped with hanging rack for bumpers and exhaust pipes, parts shelf, writing board, small parts basket and elastic straps for securing loads.

- Size: 590mm x 890mm x 1700mm high.
- Capacity: up to 200lbs.





92321 Folding Bumper Rack - Wall Mounted

Capable of holding 3 bumpers in any shape or size.

- Arm length: 600mm. Arms can be mounted in eight positions.
- Wall mounted bracket length: 725mm.
- Folds flat when not in use.



Mobile Bumper Racks

Safely stores bumpers whilst the vehicle is being repaired. The adjustable arms ensure the bumpers are kept apart and away from the floor to reduce the risk of any damage.

• Support arms adjust to storage requirements.

| Part No. | Description | Capacity | Price | |
|----------|-----------------------------|-----------------|---------|--|
| 91176 | Mobile Bumper Rack - Single | 6 bumpers | £159.95 | |
| 91177 | Mobile Bumper Rack - Double | 8 large bumpers | £169.95 | |



92323 Wheel Storage Trolley

With storage for up to 4 wheels, and features 2 foldable wheel caddies.

- Foldable, making it easy to transport & easy to store.
 - Complete with metal tray for wheel nuts, tools etc.

Plastic Repair





maa

£3499.⁹⁵

92229 Nitrogen Plastic Welder with Generator/Stapler

Has it's own nitrogen generator which eliminates the need for a gas bottle. Workshop compressed air is used to maintain consistent temperature between welds — the nitrogen is only activated when pulling the trigger so that it's not wasted between welds.

- Including integrated hot stapler, snap off staples, corner plastic, plastic smoother and gauge.
- Allows the welding of filler material by heating with nitrogen.
- The welder comes complete with a set of plastic consumables including a scraper and roller to finalise the repair, together with a reusable trigger spray water bottle for panel preparation.
- 230v, 50Hz, 1600w and 20-650°C.

92445 Nitrogen Plastic Repair Kit with Hot Stapler

After

Before

Plastic welding with nitrogen gas creates the strongest welds possible because it eliminates oxidisation of the plastic during the welding process.

- Allows the welding of filler material by heating with nitrogen from a gas bottle. Heats plastic without combustion and therefore without emitting fumes.
- Including integrated hot stapler, snap-off staples, corner plastic, plastic smoother and gauge, a reusable trigger spray water bottle, a set of plastic consumables, a scraper & a roller to finalise the repair.
- 230v, 50Hz, 1600w and 20-650°C.

Gas bottle not included.



£2049.95



92661 Airless Plastic Welder

A mains powered airless plastic welder suitable for use on thermoset plastics such as polyurethane (PUR). Ideal for repairing vehicle bumpers etc, when used together with PUR plastic welding rods.

- Supplied with 2 welding tips & safety stand for use when hot.
- Temperature range: 350°C (662°F) to 400°C (752°F).

92556 Plastic Repair Accessory Set 427pc

Ideal for use with the Power-TEC range of Hot Staplers and Plastic Welding Kits.

- Kit contents:
- 50x Staples 0.6mm: U, V, M, W shape 50x Staples 0.8mm: U, V, M, W shape 6x Plastic Welding Rods: ABS, PP, PS, PE 3x Stainless Steel Mesh.



Introducing our PULLING TOWER BUNDLE OFFER

A fast, easy to install pulling tower with a height adjustable mechanical hoist. Designed to reach a pulling traction force up to 550kg, it is counterbalanced by an anchoring plate / suction pad, which features a vulcanised rubber pad and is held onto the ground using the workshop air supply, allowing it to be used anywhere on the workshop floor without the need to drill in any anchor points or fixings.

- Portable pulling tower suitable for use on steel & aluminium panel repair.
- Dimensions: 350 x 350 x 1650mm. Weight: 20kg.
- Supplied with hook gripping head, eyebolts & hooks.



92356 Pack of Rainbow Multipads 4pc

For use with glue pulling systems.

- Pad sizes: Blue - 26 x 26mm Grey - 26 x 50mm
 Red - 23 x 26mm Yellow - 23 x 26mm
- Flexible for use with flat or curved panels.
- Pads can be easily cut to size to suit requirements.



91237 Gluematic Glue Gun Comes with quick and easy glue stick feeder, for precision controlled glue application.

- Supplied with 3x glue sticks.
- Operating temperature: 195°C (380°F).

92341 Solvent Spray for Hotmelt Glue Dissolves glue on contact. • 400ml can.



100

• REACH Certified.

Consumables from **Onnect**

➡ 15025 91

AS SEEN ON TV!



Grippaz Nitrile Gloves

Grippaz use a specially formulated nitrile compound that gives unrivalled grip when handling grease, oils, detergents, solvents & water. US Patent No's D735, 968S & 9,730,477 B2.

Available in medium, large & extra large.

- Worldwide Patent 'fish scale grip technology' along with Patent on the thumb grip design. Anti virus & bacteria certified.
- 100% Silicone FREE Nitrile glove made in a Silicone FREE factory. 100% Nitrile - Latex Free, no added fillers so sweating is prevented. Chemical resistant, can be washed or wiped clean. SATRA tested to perform UP T0 5 TIMES BETTER in oily, greasy, dry or wet conditions.
- First glove to also have grip technology inside the glove to add to the overall grip. Made with 'Touch Screen Technology' so devices like smart phones, tablets, diagnostic equipment etc can be used without having to remove the gloves.
- Manufactured to EN374-1:2003 & EN374-2:2003.



Tough & Durable





| Part No. | Colour | Size | Pairs | Price |
|------------------|--------|------|-------|-------|
| 37300 | Orange | М | 25 | £9.95 |
| 37301 | Orange | L | 25 | £9.95 |
| 37302 | Orange | XL | 25 | £9.95 |
| 37305 | Black | М | 25 | £9.95 |
| 37306 | Black | L | 25 | £9.95 |
| 37307 | Black | XL | 25 | £9.95 |
| PART OF BUILDING | | | - | |

Connect

Abracs Quick Lock Sanding Discs 25pc

For use in hard to reach places. The twist on/off fitting allows products to be fitted and removed quickly, safely and easily.

- Quick-lock zirconium sanding discs, for use with quick-lock backing pads.
- For use on: stainless steel, sheet metal, mild steel, high grade steel.

| Part No. | Size | Price |
|----------|-------------|--------|
| 32095 | P40 x 50mm | £16.95 |
| 32096 | P60 x 50mm | £16.95 |
| 32097 | P80 x 50mm | £16.95 |
| 32098 | P120 x 50mm | £16.95 |



32110 Abracs Quick Lock Backing Pad 50mm

A flexible and sturdy quick lock rubber backing pad adaptor with 6mm x 35mm spindle. Suitable for use with all Abracs quick lock products.

• Suitable for use with all 50mm quick-lock discs.

• Max 25,000rpm.





30460 Extra Thin Cutting Discs 10pc

With reinforced centre boss and low vibration performance, these discs produce less edge burring after cutting and minimal heat discolouration.

- For use on: stainless steel, sheet metal and mild steel.
- Size: 75mm x 1.0mm x 10mm bore.
- Max 20,400rpm.

35357 Professional Garage Workshop Wipes 100pc

Quick and easy way to clean hands. Ideal for hands, working tools and any hard surfaces.

- Cleans off grease, oil, tar, silicone, paint & more.
- Makes hands clean, feel fresh and comfortable after use.
- Contains isopropyl alcohol.
- Screw cap lid to keep the wipes fresh.



34997 Pulling Consumable Kit 575pc

Kit contains: •

Welding stud nails 200x 2mm & 200x 2.5mm, 50x 250mm squiggly wire, 50x straight pulling bits , 50x pulling washers, 20x triangle pulling pads, 1x inner nail lock, 1x nail electrode, 1x washer & bit electrode, 1x squiggly wire electrode & shrinking diode.





Microfibre Yellow Cloths in Dispenser box 50pc

Multi purpose cleaning cloth that traps dust and debris. Perfect for the garage and workshop to clean and trap dirt without leaving smears or damaging paintwork.

- Material 80% Polyester, 20% Polyamide.
- Washable and reusable.



£22.95



34998 Welding Accessory Kit 294pc

Kit contains: •

50x copper trim rivets 3mm x 3.2mm, 50x 3mm x 4.5mm. Copper threaded screws: 50x 4mm x 15mm & 50x 5mm x 18mm. Self thread screws: 30x 5mm x 12mm, 30x 5mm x 18mm & 30x 5mm x 25mm.

Also includes magnetic electrodes for shrinking. •





31886 Number Plate Fixings & Pads Assortment 320pc

A useful range of fixings to ensure a new number plate can be clearly displayed and legally compliant or to replace existing corroded, cracked, or faded fixings.



Corrugated Flat Velcro Pads

• 150mm x 30mm x 120mm.

| Part No. | Description | Colour | Qty | Price |
|----------|------------------------------------|--------|-----|-------|
| 32273 | Cutting/Compounding Corrugated Pad | White | 1 | £5.95 |
| 32274 | Polishing Corrugated Pad | Orange | 1 | £5.95 |
| 32275 | Finishing Corrugated Pad | Black | 1 | £5.95 |

Flat Velcro Pads

• 150mm x 32mm x 130mm.

| Part No. | Description | Colour | Qty | Price |
|----------|------------------------------|--------|-----|-------|
| 32270 | Cutting/Compounding Flat Pad | White | 1 | £6.45 |
| 32271 | Polishing Flat Pad | Orange | 1 | £5.95 |
| 32272 | Finishing Flat Pad | Black | 1 | £5.95 |

Panel Shaping



91971 Spoon, File and Dolly Set 11pc

A comprehensive range of spoons, files and dollies for the professional automotive bodyshop, presented in metal storage case that fits neatly into a rollcab, for panel beating and bodywork repairs.

| Part No. | Description |
|----------|-----------------------|
| 91197 | General Purpose Dolly |
| 91198 | Bobbin Dolly |
| 91199 | Claw Dolly |
| 91200 | Domed Anvil Dolly |
| 91201 | Chisel Dolly |
| 91203 | Thin Spoon 40° Angle |
| 91206 | Pry & Surface Spoon |
| 91208 | General Purpose Spoon |
| 91209 | Long Reach Spoon |
| 91224 | Slapping Spoon |
| 91182 | Bumping File |

All products available seperatly.





91192 Curved Dolly

Used on areas where the panel is curved and a flat surfaced dolly cannot be used.

• Dimensions: 60 x 40 x 125mm.



91833 Thin Toe Dolly

Conveniently fits into the palm of your hand for use on lightweight panels.

Dimensions: 55 x 25* x 120mm.
 *Width tapers from 25mm to 10mm.





91195 Heel Dolly General purpose dolly which can also be placed against curved panels.

• Dimensions: 80 x 20 x 57mm.





91205 Moulding Spoon For use to access specific hard to reach areas. • Length: 235mm.





91204 Grid Dolly Used for shrinking slightly stretched areas of the panel.

• Dimensions: 57 x 27 x 120mm.





91190 Ring Dolly Multi-use tool for small area repairs & finishin and can be worn as a ring for precise control. • Dimensions: 35 x 70 x 60mm.



58073 Cordless Polisher 20V Kit

This ideal starter kit comprising of the impact wrench 1/2"D and key accessories required. This five speed polisher delivers a comfortable grip, trigger lock and adjustable handle for ease of use, and uses standard M14 thread compound and polishing heads. Supplied with 180mm diameter polishing foam and buffing pads, 20V 4.0Ah batteries, 230V 4 amp mains battery charger and heavy duty storage bag.

- Cordless polisher includes M14 spindle, for use with standard 150mm compound & polishing heads (diameters up to a maximum of 180mm) & spindle lock function for easy pad changeover.
- 5-stage speed selection, with safety switch and detachable 'D' handle for improved control.
- Tested vibration emission value 4.113m/s2.
- No Load Speed: 800 2400rpm (max).

£274.95



Polishing Accessories



| Part No. | Description | Colour | Qty | Price |
|----------|--------------------------------------|--------|-----|-------|
| 92560 | Polishing Sponge Wheels - Fine | Blue | 2 | £5.95 |
| 92561 | Polishing Sponge Wheels - Extra Fine | Red | 2 | £5.95 |
| 92562 | Polishing Sponge Wheels - Medium | Yellow | 2 | £5.95 |
| 92563 | Backing Pad Set | Yellow | 2 | £5.95 |
| 92564 | Felt Mounted Point Set | White | 2 | £4.45 |
| 92565 | Wool Polishing Pad Set | White | 2 | £4.45 |
| 92566 | Buffing Mop Pad Set | White | 2 | £4.45 |
| 92567 | Buffing Lambswool Pad Set | White | 2 | £5.95 |
| 92568 | Polish Foam Pad Set | Multi | 8 | £9.95 |

92559 Pneumatic Detail Polishing Tool Kit

A 29 piece, lightweight pneumatic detail polishing kit. For buffing & polishing intricate areas on any vehicle to achieve a rich, swirl free, high gloss finish.

- Includes: flexible shaft, airline adaptor, lubricating oil bottle, 2x wrenches; attachments: 2x backing pads, 2x felt mounted bullet type pads, 2x wool polishing pads, 2x buffing mop pads, 2x lambswool polishing pads, 3x tapered polishing pads, 3x cylinder polishing pads, 8x polish foam pads.
- Flexible shaft length: 134cm; simple twist on/off as well as regulating air flow & rpm speed.
- Fits standard 1/4" air hoses; max pressure: 90psi.
- Max no load speed: 70000rpm; max polish accessory speed: 15000rpm.



SCANGRIP **INNOVATION FROM DENMARK**

Acclaimed range of quality workshop lighting & body repair 'daylight' lighting





03.5803 Scangrip UV Curing Gun with Cordless Batterv

Utilizing UV LED curing technology this rechargeable LED work light allows you to work faster and more efficiently as the curing time between each operation is reduced significantly. No heat is produced on the panel or the paint during the curing process, allowing use on of plastic parts or any heat sensitive material. The UV gun also is supplied with a solvent resistant glass lens for protection.

- LCD display shows remaining battery level and ongoing curing time.
- Supplied in practical nylon carry bag with rechargeable battery, charger and UV protective glasses.

- No heat generation.

| Part No. | Curing Area | Price |
|----------|-------------|----------|
| 03.5272 | 100 x 100cm | £1799.95 |
| 03.5273 | 135 x 130cm | £2699.95 |

SCANGRIP LIGHTING - UV RANGE

Cures paint in as little as 1 minute!

Scangrip UV Extreme Plus Curing Lamps

Superior and most powerful LED work light in the world for very fast and highly efficient UV curing of larger paint repair areas.

Smart and easy operation with user-friendly APP. The built-in BLUETOOTH functionality makes

it safe and easy to operate the lamp remotely, even in groups of up to 4 units simultaneously. Using the APP provides safe activation from a distance to avoid being physically close to the UV curing process.

Tested and proven for use with leading paint brand products, including Akzo-Nobel, Axalta, BASF, Evercoat, PPG, Standox, Spies-Hecker.





Flexible and rechargeable LED UV light designed for fast curing of small and medium cure areas. Comes with a 180° tiltable lamp head helping you find the perfect curing angle.





03.5800 Scangrip UV-Pen A rechargeable LED UV flashlight designed for spot repair and fast curing of car door edges and other narrow areas.





03.5759 Scangrip UV **Protection Glasses**

Provides protection against the complete UV spectrum up to 400nm - often referenced as UV400.

www.toolconnection.co.uk

12



91414 Primed Metal Spray Out Cards 100pc

For testing the colour of mixed paint before being applied to the vehicle. Features 30mm hole for colour matching.

- Hole for hanging up.
- Size: 150 x 105mm.





91415 Primed Metal Standard Spray Out Cards 100pc

For testing the colour of mixed paint before being applied to the vehicle. Provides edge to edge colour matching.

£31 95

£24.95

- Hole for hanging up.
- Size: 150 x 105mm.

91441

Magnetic Test Panel Holder

Holds metal sprayout cards for testing the colour of mixed paint before being applied to the vehicle.

• Can be placed on booth wall or panel stand once finished to allow the paint to dry.



ų

92544 Air Powered Spray Gun Washer

Air operated semi-automatic gun washing machine, fitted with an aluminium diaphragm pump, providing fully enclosed operation, with capacity for 2 pots and 2 guns.



Paint



- Max working air pressure: 90psi.
- Operating pressure: 40 60psi.
- Air consumption: 2 4 ft³/min.
- Wash cycle: 40-60 seconds.
- Suitable for water or solvent based paint use (not both in the same cycle).
- Air inlet: 1/4" pt; liquid inlet/outlet: 3/8" pt.
- ATEX approved.



Magnetic Base Paint Clamps

Ideal for holding mirrors & mouldings during the painting process.

- Allows hands free, controlled spray painting.
- Max weight: 5lb (2.kg).

| Part No. Description | | Price |
|----------------------|------------------------------------|--------|
| 92425 | Magnetic Paint Clamp | £21.95 |
| 92503 | Flexi Magnetic Base Paint Clamp | £24.95 |



92607 Mini Air Sander 50mm

Gearless sander with 50mm diameter sanding face with silencer. Ideal for intricate, more delicate sanding. Features a safety trigger lock and has variable speed adjustment, with a maximum operating speed of 25,000rpm.

- Air inlet, quick connector 1/4" BSP.
- Operating pressure: 90psi (6.2 bar).



Workshop Essentials from LASER[®]



8497 Air Palm Impact Wrench 1/2"D

A lightweight mini air impact wrench with a side mounted trigger and 360° rotating air inlet to reduce the chance of the airline twisting or kinking. It's compact size allows it to be used in tight spaces such as in engine bays, under wheel arches and around brake calipers.

- Features 3 speeds with maximum torque: 542Nm (400lb-ft).
- Free speed: 8,500rpm; Air consumption: 5.6cfm; with 1/4" air inlet.





LASER

7680 Impact Wrench 3/4″D - Twin Hammer 146mm Long

- Small and lightweight impact wrench.
- 9000rpm with a working Torque of 271-1220Nm.
- Air inlet 1/4" with suggested hose size of 10mm.



8456 80W Soldering Iron Kit

Features an easy to read digital temperature gauge with a thermos, allowing the temperature to be adjusted between 100°C - 480°C.

 Kit includes:
 5 soldering tips,
 30g solder, cleaning sponge & stand.

CE LA



E.26.⁹⁵

8401 Cordless Soldering Repair Kit 15w

Features inbuilt LED, making it ideal for use in dimly lit areas, it also has a max operating temperature of 550°C and reaches working temperature in just 7 secs.

• Supplied with cone soldering tip, 30w heat shrink tip and safety cap.

Batteries not supplied.



8535 Air Blow Gun with Rubber Tip

A compact and quiet air blow gun that fits standard air compressors with a 1/4" BSP thread. It features a vented rubber tip/nozzle to protect surfaces from scratches.

- Max pressure: 235psi (16 bar).
- Meets EU2003/10/CE standards.

Clever Storage Solutions



4087 Magnetic Tool Trays Additional storage for small component parts. • Sizes: 310, 270, 220 & 150mm wide.





<mark>8361</mark> Magnetic Can Holder

Suitable for storing aerosol cans and keeping them close to hand.

WE PROVIDE TRAINI **FSER**

Our dedicated team can provide full training and on-site servicing with full training/servicing documents given at the end of the session.

There are a variety of different packages to choose from - see below for more information.

If you require servicing on any other equipment for audit purposes or just to keep your equipment in top condition, please do not hesitate to contact us to discuss further.

Please note: All prices exclude VAT.

Group Training

Full Day Training (9am - 3:30pm) Up to 10 technicians £695

Full Day Training & Service (9am - 3:30pm)

Up to 6 technicians

£695





Miracle System Training

Training

- 4 hours
- Up to 4 technicians

£495

Service

- 2 hours
- Service of 1 piece of equipment

£295

Service & Training

- 4 hours
- · Service of 1 piece of equipment
- Up to 4 technicians

£495

Add additional equipment for £150 per piece



Nitrogen Welder Training

Up to 4 technicians

Full Day Training (9am - 3:30pm) • 4 - 6 technicians

£695

Contact **Power-TEC** direct on 01926 818195 to book training & servicing

Offers available through your local supplier of The Tool Connection Ltd branded products.

PDR Repair

Ideal for smaller dent repairs

£149.⁹⁵



92487 Dent Removal Glue Kit 35pc

Ideal for reducing small dents, providing three methods of pulling dents: T-bar slide hammer for deeper dents; hand-operated easy puller for smaller dents and offers more control for finishing a dent; simple hand puller for shallow dents and final dent finishing.

· Kit includes: spray bottle, plastic scraper, tap down tool with replacement taps & 4x aluminium glue pulling tabs, 15x assorted plastic glue pads in a variety of different shapes and an assortment of alloy glue pads for when a stronger pull is needed.

4991 Air Suction Dent Puller

After connecting the dent puller to the air supply the puller creates the vacuum and sucks firmly to the body, the slide hammer is then used to pull out the dent.

- 330mm inlet hose set with 1/4" pneumatic connection.
- Working pressure: 70-170psi (5-12 bar). Recommended pressure: 150psi (10.5 bar).
- 3x pad attachments, diameters: 60, 120 and 150mm



92644 PDR Percussion Auto **Body Panel Shaper Tool Kit**

A rechargeable PDR percussion gun with eight interchangeable heads to gently tap down high spots in vehicle body panels as part of a paintless dent repair.

- Features a high torque silent motor with 4 different speeds to • deliver between 1800 and 3200 percussions per minute.
- Includes: 4x hard plastic & 4x alloy adaptor heads to knock down high spots without damaging paint.
- Run time: up to 4 hours.





1st Prize

to the BTCC!

automechanika

BIRMINGHAM

We are attending this year's Automechanika at the NEC in Birmingham.

Visit us at stand M120 in Hall 19 to see the latest EV Tooling solutions, innovative Bodyshop tools, new specialist products and to be in with the chance to win some fantastic prizes!

Also, on Tuesday, 6 June, we will have BTCC Driver, Jake Hill, joining us!

We hope to see you there!

Touring Car photo taken by Darren Hurrell



Offers valid from 1st May to 31st July 2023 while stocks last. Offers available through your local supplier of The Tool Connection Ltd branded products.

All prices correct at the time of going to press and exclude VAT. The Tool Connection Ltd reserve the right to change prices or take products off of promotion without prior notice.



6 - 8 June 2023, NEC

Register for your FREE PASS to Automechanika **Birmingham** by scanning the QR code below







O TOOL The Tool Connection Ltd.

Kineton Road, Southam, Warwickshire, CV47 0DR 01926 815000 • www.toolconnection.co.uk